

VeriFone PRINTPAK 300

Introducing

A NEW GENERATION OF INTEGRATED PRODUCTS



They're Really Modules

Now—You Can Create Your Own Integrated

Today, it's not enough to deliver automatic payment processing. Merchants want fast, legible receipts. They need a complete audit trail for easy end-of-day balancing. And they want all this in a compact package.

Now you can provide the integrated operation they need—and still maintain the flexibility of separate units.

1

Step One

You start with the PRINTPAK 300.™ This new printer module contains a quiet thermal mechanism that produces crisp, clear receipts in just seconds. Before the customer has time to sign, the second copy is ready.

2

Step Two

Then, you order the VeriFone® terminal you need. The printer module works with any of the TRANZ® 300 series—the systems of choice in many areas of the world. Or, it fills the bill for merchants that use the 300 series of OMNI™ terminals. Whatever the model, they all fit easily into the PRINTPAK 300.

It's As Simple As That

When you're done, you have a combination that matches the latest integrated terminal/printer. It is an efficient unit that uses a minimum of counterspace—and hides a lot of cables. And it does so while creating a more professional appearance on the countertop.

The Convenience Of A Module

Of course, the PRINTPAK 300 is a module, so you can always change your mind. Later you may want to add debit capability. Or a graphic display. Simply trade up to a new terminal and snap it into the PRINTPAK 300.

And, since the units operate separately, the PRINTPAK 300 can be repaired without affecting the terminal. (The thermal printer has few moving parts, so there's seldom need for repair.)

Let's Build The Model You Need

Use the PRINTPAK 300 to build the integrated solution you need. Or just add the printer to your existing terminal. Your VeriFone sales representative can provide the details. Just call and ask about the modules that act integrated.

ted Solution

RELIABLE

CONVENIENT

Compact Design Saves
Counterspace

Whisper-Quiet Operation

Simple Mechanism Leads
To Reliable Operation

Modular Interface To A Variety
Of VeriFone Terminals

Needs No Ribbons

Uncluttered Professional Image

Thermal Printer Produces Crisp,
Legible Characters

Fast Printing Speeds Up
Transaction Time

If Repair Is Needed, Terminal Can
Be Used Without The Printer

Long-Lasting Receipt Image



*PRINTPAK 300 slides over the cables
at the rear of the terminal.*

PRINTPAK 300 Specifications

Physical

Height	4.1 in (105 mm)
Width	5.6 in (143 mm)
Depth	11.7 in (298.5 mm)
Shipping Weight	3.4 lb (1.5 kg)
Operating Temperature	32° to 104° F (0° to 40° C)

Printing

Method	Thermal serial dot system
Printing Direction	Bidirectional character; unidirectional, logic seeking graphics
Speed	63 characters per second (throughput will vary depending on the terminal application)
Buffer	3 lines
Print Head Life Expectancy/ Mechanical Reliability (MCBF)	2.2 million lines
Standard Characters	10 international character sets Graphic printing capability optional

Paper

Size	2.2 in (57 mm) wide standard roll, single-ply
Format	32-column, portrait

Interface


Serial	RS-232C compatible
Baud Rate	Switch selectable; 1200, 2400, 4800 and 9600 baud

Power

Voltage	120 VAC, 47-63 Hz ($\pm 10\%$) or 230 VAC, 50 Hz
---------	--

Connecting Terminals

Models	ZON® Jr. XL TRANZ 300 series OMNI 300 series
--------	--



*The PRINTPAK 300 interfaces easily
with a variety of VeriFone terminals.*



Three Lagoon Drive
Redwood City, CA 94065-1561
TEL: 415-591-6500
FAX: 415-598-5504
NET: www.verifone.com